


## notice

1. This is a 'Universal' child restraint. It is approved to Regulation No. 44.04 series of amendments, for general use in vehicles and it will fit most, but not all car seats.
2. A correct fit is likely if the vehicle manufacturer has declared that the vehicle is capable of accepting a 'Universal' child restraint for this age group.
3. This child restraint has been classified as 'Universal' under more stringent conditions than those which applied to earlier designs which do not carry this notice.
4. If in doubt, consult either the child restraint manufacturer or the retailer.
5. Only suitable if the approved vehicles are fitted with 3 point static or retractor safety belts approved to UN/ECE Regulation No.16 or other equivalent standards.

Made in France  
for Mothercare,  
Watford, Herts,  
WD24 6SH



## dream booster user guide

Important. Please retain  
this user guide for  
future reference

Conforms to  
ECE R44.04  
Universal

**EXTREME HAZARD:** Parents should not under  
any circumstances use this child restraint on  
a passenger seat equipped with an airbag.

## 1

## safety warnings

- PLEASE READ THOROUGHLY BEFORE COMMENCING INSTALLATION AS AN INCORRECT INSTALLATION COULD BE DANGEROUS.
- DO NOT USE THIS CHILD SEAT IN PASSENGER SEATS EQUIPPED WITH AIRBAGS.
- This child seat **must only** be installed in a forward facing position in passenger seats.  
**Do not** use on side facing or rear facing seats.
- **Do not** add to or modify the seat in any way.
- It is recommended that this car seat should be changed when it has been subjected to violent stresses in an accident or has become badly worn.
- **Do not** leave your child unattended in the seat at any time.
- Ensure that no part of the seat is trapped in a door or folding seat. If your car has a folding rear seat, ensure that it is correctly latched in the upright position.
- Car interiors can become very hot when in direct sunlight, it is therefore recommended that the child seat is covered when not in use. This prevents components, particularly those attached to the child seat, becoming hot and burning the child.
- Luggage and other heavy or sharp objects should be secured in the car. Loose objects are liable to cause injury in the event of an accident.
- The safest seating position for a child car seat is on the rear seat of a vehicle.


## 2

## getting to know your child seat

This seat is classified as:

Group 2 for children weighing from 15kg to 25kg (4 - 6 years approx.) - in a forward facing position.


Group 3 for children weighing from 22kg to 36kg (4 - 11 years approx.) - in a forward facing position.



SET UP FOR USE BY  
15-36 kg CHILDREN  
GROUP 2 + 3

3

## the type of approved seat belt you must have



Your mothercare child seat can only be installed forward facing using a lap and diagonal seat belt in the rear passenger seats of the car.

**DO NOT USE THIS CHILD SEAT IN PASSENGER SEATS EQUIPPED WITH AIRBAGS**

4

## legal requirements

This child seat is approved to ECE R44.04 and is **ONLY** suitable for use with a 3 point lap and diagonal seat belt, approved to UN/ECE Regulation No.16 or other equivalent safety standards.

### Front Seat

Anyone, especially children, travelling in the front seat of a car **must** be properly restrained. Children under three years **must** use a suitable approved restraint designed for their weight.

### Rear Seat

All adults and children **must** use seat belts or child restraints where they are fitted in the rear of a car and are available for use. If the appropriate restraint is not available, children from 3 years **must** wear an adult seat belt if available.

5


## important notes

- This user guide should be stored under the seat cover of the base.
- When the child seat is not in use, it is recommended that it is fastened into the car with a seat belt to avoid being thrown about in the event of an accident.
- If you travel with passengers using both the front and rear seats, the lighter occupants should be in the rear seats and the heavier occupants in the front of the vehicle. When a child is in the front seat, the lighter passenger should be behind the child.
- **Do not** allow the child seat to come into contact with corrosive substances e.g. battery acid.

## 6


## fitting instructions

1



Place the child's car seat on the passenger seat with a 3 point seat belt. Make sure it is facing towards the front of the car.


2



Pull the lap and shoulder sections of the car seat belt across and secure it in the normal way.

For smaller children (15-25 kg), the diagonal belt should be routed under the armrest.

3




The red belt clip can still be used to position the diagonal belt securely on the child's shoulder.

Pass the strap across the child's back, so the clip rests on the child's shoulder, then feed the diagonal belt through the clip.

Adjust the strap length so the clip holds the belt securely on the shoulder.

4



For larger children (22-36kg), the diagonal belt should be routed over the armrest.

The red belt clip is not necessary any more.

## 7


## final checklist

However safe a child seat is, however well built it is, your child's safety depends on you.

Read this final checklist once you have fitted your child seat in your car.

1. Check you have installed your child seat properly using a 3 point lap and diagonal belt.
2. Check that your child seat is secure before each journey.

**REMEMBER:** Misusing your child seat will reduce the protection and safety you offer your child.



## 8

## care of your product

### removing the fabric cover




---

- The fabric cover can be removed from the seat.  
Release the elasticated edges of the cover from the seat. Carefully remove the cover.  
The cover for this seat can be machine washed by following the instructions on the care labels.

### cleaning the seat

---

- The plastic parts can be sponged with a mild detergent and warm water.  
Dry thoroughly before use.



## 9


## accessories &amp; replacement parts

Your child seat and its cover have been carefully designed, manufactured and tested to the highest safety standards.

**Do not** put your child's safety at risk by using without a seat cover. The seat cover should not be replaced with any other than the one recommended by mothercare, because the cover constitutes an integral part of the restraint performance.

The safety of this seat may be compromised by the use of accessories not approved by mothercare.

The replacement parts listed below are available for your product. In the event that you require any of these parts, please contact your local mothercare store or contact Customer Care on 08453 30 40 30.



## Replacement Parts

Seat cover  
Diagonal belt clip

## 10

## customer care

If you have a problem with this product or require replacement parts, please contact your nearest mothercare store or telephone the mothercare Customer Care Line on 08453 30 40 30.

Alternatively, write to: Customer Care  
Mothercare Uk Ltd, Cherry Tree Road  
Watford, Herts, WD24 6SH